

FEDERAL OPERATING PERMIT

A FEDERAL OPERATING PERMIT IS HEREBY ISSUED TO
ExxonMobil Oil Corporation

AUTHORIZING THE OPERATION OF
ExxonMobil Beaumont Blending and Packaging Plant
Petroleum Lubricating Oil and Grease Manufacturing

LOCATED AT
Jefferson County, Texas
Latitude 30° 3' 34" Longitude 94° 4' 48"
Regulated Entity Number: RN102497112

This permit is issued in accordance with and subject to the Texas Clean Air Act (TCAA), Chapter 382 of the Texas Health and Safety Code and Title 30 Texas Administrative Code Chapter 122 (30 TAC Chapter 122), Federal Operating Permits. Under 30 TAC Chapter 122, this permit constitutes the permit holder's authority to operate the site and emission units listed in this permit. Operations of the site and emission units listed in this permit are subject to all additional rules or amended rules and orders of the Commission pursuant to the TCAA.

This permit does not relieve the permit holder from the responsibility of obtaining New Source Review authorization for new, modified, or existing facilities in accordance with 30 TAC Chapter 116, Control of Air Pollution by Permits for New Construction or Modification.

The site and emission units authorized by this permit shall be operated in accordance with 30 TAC Chapter 122, the general terms and conditions, special terms and conditions, and attachments contained herein.

This permit shall expire five years from the date of issuance. The renewal requirements specified in 30 TAC § 122.241 must be satisfied in order to renew the authorization to operate the site and emission units.

Permit No: Q1707 Issuance Date: _____

For the Commission

Table of Contents

Section	Page
General Terms and Conditions	1
Special Terms and Conditions:	1
Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting.....	1
New Source Review Authorization Requirements	6
Compliance Requirements.....	7
Protection of Stratospheric Ozone	8
Permit Location	9
Permit Shield (30 TAC § 122.148)	9
Attachments	10
Applicable Requirements Summary.....	11
Permit Shield.....	87
New Source Review Authorization References	119
Appendix A.....	136
Acronym List	137

General Terms and Conditions

The permit holder shall comply with all terms and conditions contained in 30 TAC § 122.143 (General Terms and Conditions), 30 TAC § 122.144 (Recordkeeping Terms and Conditions), 30 TAC § 122.145 (Reporting Terms and Conditions), and 30 TAC § 122.146 (Compliance Certification Terms and Conditions).

In accordance with 30 TAC § 122.144(1), records of required monitoring data and support information required by this permit, or any applicable requirement codified in this permit, are required to be maintained for a period of five years from the date of the monitoring report, sample, or application unless a longer data retention period is specified in an applicable requirement. The five year record retention period supersedes any less stringent retention requirement that may be specified in a condition of a permit identified in the New Source Review Authorization attachment.

If the permit holder chooses to demonstrate that this permit is no longer required, a written request to void this permit shall be submitted to the Texas Commission on Environmental Quality (TCEQ) by the Responsible Official in accordance with 30 TAC § 122.161(e). The permit holder shall comply with the permit's requirements, including compliance certification and deviation reporting, until notified by the TCEQ that this permit is voided.

The permit holder shall comply with 30 TAC Chapter 116 by obtaining a New Source Review authorization prior to new construction or modification of emission units located in the area covered by this permit.

All reports required by this permit must include in the submittal a cover letter which identifies the following information: company name, TCEQ regulated entity number, air account number (if assigned), site name, area name (if applicable), and Air Permits Division permit number(s).

Special Terms and Conditions:

Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting

1. Permit holder shall comply with the following requirements:
 - A. Emission units (including groups and processes) in the Applicable Requirements Summary attachment shall meet the limitations, standards, equipment specifications, monitoring, recordkeeping, reporting, testing, and other requirements listed in the Applicable Requirements Summary attachment to assure compliance with the permit.
 - B. The textual description in the column titled "Textual Description" in the Applicable Requirements Summary attachment is not enforceable and is not deemed as a substitute for the actual regulatory language. The Textual Description is provided for information purposes only.
 - C. A citation listed on the Applicable Requirements Summary attachment, which has a notation [G] listed before it, shall include the referenced section and subsection for all commission rules, or paragraphs for all federal and state regulations and all subordinate paragraphs, subparagraphs and clauses, subclauses, and items contained within the referenced citation as applicable requirements.
 - D. When a grouped citation, notated with a [G] in the Applicable Requirements Summary, contains multiple compliance options, the permit holder must keep records of when each compliance option was used.
 - E. Emission units subject to 40 CFR Part 63, Subparts ZZZZ and DDDDD as identified in the attached Applicable Requirements Summary table are subject to 30 TAC Chapter

113, Subchapter C, §§ 113.1090 and 113.1130 which incorporate the 40 CFR Part 63 Subparts by reference.

2. The permit holder shall comply with the following sections of 30 TAC Chapter 101 (General Air Quality Rules):
 - A. Title 30 TAC § 101.1 (relating to Definitions), insofar as the terms defined in this section are used to define the terms used in other applicable requirements
 - B. Title 30 TAC § 101.3 (relating to Circumvention)
 - C. Title 30 TAC § 101.8 (relating to Sampling), if such action has been requested by the TCEQ
 - D. Title 30 TAC § 101.9 (relating to Sampling Ports), if such action has been requested by the TCEQ
 - E. Title 30 TAC § 101.10 (relating to Emissions Inventory Requirements)
 - F. Title 30 TAC § 101.201 (relating to Emission Event Reporting and Recordkeeping Requirements)
 - G. Title 30 TAC § 101.211 (relating to Scheduled Maintenance, Start-up, and Shutdown Reporting and Recordkeeping Requirements)
 - H. Title 30 TAC § 101.221 (relating to Operational Requirements)
 - I. Title 30 TAC § 101.222 (relating to Demonstrations)
 - J. Title 30 TAC § 101.223 (relating to Actions to Reduce Excessive Emissions)
3. Permit holder shall comply with the following requirements of 30 TAC Chapter 111:
 - A. Visible emissions from stationary vents with a flow rate of less than 100,000 actual cubic feet per minute that are not listed in the Applicable Requirements Summary attachment for 30 TAC Chapter 111, Subchapter A, Division 1, shall not exceed 20% opacity averaged over a six minute period. The permit holder shall comply with the following requirements for stationary vents at the site subject to this standard:
 - (i) Title 30 TAC § 111.111(a)(1)(B) (relating to Requirements for Specified Sources)
 - (ii) Title 30 TAC § 111.111(a)(1)(E)
 - (iii) Title 30 TAC § 111.111(a)(1)(F)(i), (ii), (iii), or (iv)
 - (iv) For emission units with vent emissions subject to 30 TAC § 111.111(a)(1)(B), complying with 30 TAC § 111.111(a)(1)(F)(ii), (iii), or (iv), and capable of producing visible emissions from, but not limited to, particulate matter, acid gases and NO_x, the permit holder shall also comply with the following periodic monitoring requirements for the purpose of annual compliance certification under 30 TAC § 122.146. These periodic monitoring requirements do not apply to vents that are not capable of producing visible emissions such as vents that emit only colorless VOCs; vents from non-fuming liquids; vents that provide passive ventilation, such as plumbing vents; or vent emissions from any other source that does not obstruct the transmission of light. Vents, as specified in the “Applicable

Requirements Summary” attachment, that are subject to the emission limitation of 30 TAC § 111.111(a)(1)(B) are not subject to the following periodic monitoring requirements:

- (1) An observation of stationary vents from emission units in operation shall be conducted at least once during each calendar quarter unless the emission unit is not operating for the entire quarter.
- (2) For stationary vents from a combustion source, if an alternative to the normally fired fuel is fired for a period greater than or equal to 24 consecutive hours, the permit holder shall conduct an observation of the stationary vent for each such period to determine if visible emissions are present. If such period is greater than 3 months, observations shall be conducted once during each quarter. Supplementing the normally fired fuel with natural gas or fuel gas to increase the net heating value to the minimum required value does not constitute creation of an alternative fuel.
- (3) Records of all observations shall be maintained.
- (4) Visible emissions observations of emission units operated during daylight hours shall be conducted no earlier than one hour after sunrise and no later than one hour before sunset. Visible emissions observations of emission units operated only at night must be made with additional lighting and the temporary installation of contrasting backgrounds. Visible emissions observations shall be made during times when the activities described in 30 TAC § 111.111(a)(1)(E) are not taking place. Visible emissions shall be determined with each stationary vent in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 mile, away from each stationary vent during the observation. For outdoor locations, the observer shall select a position where the sun is not directly in the observer's eyes. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor. A certified opacity reader is not required for visible emissions observations.
- (5) Compliance Certification:
 - (a) If visible emissions are not present during the observation, the RO may certify that the source is in compliance with the applicable opacity requirement in 30 TAC § 111.111(a)(1) and (a)(1)(B).
 - (b) However, if visible emissions are present during the observation, the permit holder shall either list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2) or conduct the appropriate opacity test specified in 30 TAC § 111.111(a)(1)(F) as soon as practicable, but no later than 24 hours after observing visible emissions to determine if the source is in compliance with the opacity requirements. If an opacity test is performed and the source is determined to be in compliance, the RO may certify that the

source is in compliance with the applicable opacity requirement. However, if an opacity test is performed and the source is determined to be out of compliance, the permit holder shall list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2). The opacity test must be performed by a certified opacity reader.

- (c) Some vents may be subject to multiple visible emission or monitoring requirements. All credible data must be considered when certifying compliance with this requirement even if the observation or monitoring was performed to demonstrate compliance with a different requirement.

B. For visible emissions from a building, enclosed facility, or other structure; the permit holder shall comply with the following requirements:

- (i) Title 30 TAC § 111.111(a)(7)(A) (relating to Requirements for Specified Sources)
- (ii) Title 30 TAC § 111.111(a)(7)(B)(i) or (ii)
- (iii) For a building containing an air emission source, enclosed facility, or other structure containing or associated with an air emission source subject to 30 TAC § 111.111(a)(7)(A), complying with 30 TAC § 111.111(a)(7)(B)(i) or (ii), and capable of producing visible emissions from, but not limited to, particulate matter, acid gases and NO_x, the permit holder shall also comply with the following periodic monitoring requirements for the purpose of annual compliance certification under 30 TAC § 122.146:
 - (1) An observation of visible emissions from a building containing an air emission source, enclosed facility, or other structure containing or associated with an air emission source which is required to comply with 30 TAC § 111.111(a)(7)(A) shall be conducted at least once during each calendar quarter unless the air emission source or enclosed facility is not operating for the entire quarter.
 - (2) Records of all observations shall be maintained.
 - (3) Visible emissions observations of air emission sources or enclosed facilities operated during daylight hours shall be conducted no earlier than one hour after sunrise and no later than one hour before sunset. Visible emissions observations of air emission sources or enclosed facilities operated only at night must be made with additional lighting and the temporary installation of contrasting backgrounds. Visible emissions shall be determined with each emissions outlet in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 mile, away from each emissions outlet during the observation. For outdoor locations, the observer shall select a position where the sun is not directly in the observer's eyes. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor. A certified opacity reader is not required for visible emissions observations.

(4) Compliance Certification:

- (a) If visible emissions are not present during the observation, the RO may certify that the source is in compliance with the applicable opacity requirement in 30 TAC § 111.111(a)(7) and (a)(7)(A)
- (b) However, if visible emissions are present during the observation, the permit holder shall either list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2) or conduct the appropriate opacity test specified in 30 TAC § 111.111(a)(7)(B) as soon as practicable, but no later than 24 hours after observing visible emissions to determine if the source is in compliance with the opacity requirements. If an opacity test is performed and the source is determined to be in compliance, the RO may certify that the source is in compliance with the applicable opacity requirement. However, if an opacity test is performed and the source is determined to be out of compliance, the permit holder shall list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2). The opacity test must be performed by a certified opacity reader.

C. Emission limits on nonagricultural processes, except for the steam generators specified in 30 TAC § 111.153, shall comply with the following requirements:

- (i) Emissions of PM from any source may not exceed the allowable rates as required in 30 TAC § 111.151(a) (relating to Allowable Emissions Limits)
- (ii) Sources with an effective stack height (h_e) less than the standard effective stack height (H_e), must reduce the allowable emission level by multiplying it by $[h_e/H_e]^2$ as required in 30 TAC § 111.151(b)
- (iii) Effective stack height shall be calculated by the equation specified in 30 TAC § 111.151(c)

4. The permit holder shall comply with the following requirements for units subject to any subpart of 40 CFR Part 60, unless otherwise stated in the applicable subpart:

- A. Title 40 CFR § 60.7 (relating to Notification and Recordkeeping)
- B. Title 40 CFR § 60.8 (relating to Performance Tests)
- C. Title 40 CFR § 60.11 (relating to Compliance with Standards and Maintenance Requirements)
- D. Title 40 CFR § 60.12 (relating to Circumvention)
- E. Title 40 CFR § 60.13 (relating to Monitoring Requirements)
- F. Title 40 CFR § 60.14 (relating to Modification)
- G. Title 40 CFR § 60.15 (relating to Reconstruction)
- H. Title 40 CFR § 60.19 (relating to General Notification and Reporting Requirements)

5. The permit holder shall comply with the following requirements for units subject to any subpart of 40 CFR Part 61, unless otherwise stated in the applicable subpart:
 - A. Title 40 CFR § 61.05 (relating to Prohibited Activities)
 - B. Title 40 CFR § 61.07 (relating to Application for Approval of Construction or Modification)
 - C. Title 40 CFR § 61.09 (relating to Notification of Start-up)
 - D. Title 40 CFR § 61.10 (relating to Source Reporting and Request Waiver)
 - E. Title 40 CFR § 61.12 (relating to Compliance with Standards and Maintenance Requirements)
 - F. Title 40 CFR § 61.13 (relating to Emissions Tests and Waiver of Emission Tests)
 - G. Title 40 CFR § 61.14 (relating to Monitoring Requirements)
 - H. Title 40 CFR § 61.15 (relating to Modification)
 - I. Title 40 CFR § 61.19 (relating to Circumvention)
6. For facilities where total annual benzene quantity from waste is less than 1 megagram per year and subject to emission standards in 40 CFR Part 61, Subpart FF, the permit holder shall comply with the following requirements:
 - A. Title 40 CFR § 61.355(a)(1)(iii), (a)(2), (a)(5)(i) - (ii), (a)(6), (b), and (c)(1) - (3) (relating to Test Methods, Procedures, and Compliance Provisions), for calculation procedures
 - B. Title 40 CFR § 61.356(a) (relating to Recordkeeping Requirements)
 - C. Title 40 CFR § 61.356(b), and (b)(1) (relating to Recordkeeping Requirements)
 - D. Title 40 CFR § 61.357(a), and (b) (relating to Reporting Requirements)
7. The permit holder shall comply with the requirements of 30 TAC Chapter 113, Subchapter C, § 113.100 for units subject to any subpart of 40 CFR Part 63, unless otherwise stated in the applicable subpart.
8. The permit holder shall comply with certified registrations submitted to the TCEQ for purposes of establishing federally enforceable emission limits. A copy of the certified registration shall be maintained with the permit. Records sufficient to demonstrate compliance with the established limits shall be maintained. The certified registration and records demonstrating compliance shall be provided, on request, to representatives of the appropriate TCEQ regional office and any local air pollution control agency having jurisdiction over the site. The permit holder shall submit updated certified registrations when changes at the site require establishment of new emission limits. If changes result in emissions that do not remain below major source thresholds, the permit holder shall submit a revision application to codify the appropriate requirements in the permit.

New Source Review Authorization Requirements

9. Permit holder shall comply with the requirements of New Source Review authorizations issued or claimed by the permit holder for the permitted area, including permits, permits by rule, standard permits, flexible permits, special permits, permits for existing facilities including Voluntary

Emissions Reduction Permits and Electric Generating Facility Permits issued under 30 TAC Chapter 116, Subchapter I, or special exemptions referenced in the New Source Review Authorization References attachment. These requirements:

- A. Are incorporated by reference into this permit as applicable requirements
 - B. Shall be located with this operating permit
 - C. Are not eligible for a permit shield
10. The permit holder shall comply with the general requirements of 30 TAC Chapter 106, Subchapter A or the general requirements, if any, in effect at the time of the claim of any PBR.
11. The permit holder shall maintain records to demonstrate compliance with any emission limitation or standard that is specified in a permit by rule (PBR) or Standard Permit listed in the New Source Review Authorizations attachment. The records shall yield reliable data from the relevant time period that are representative of the emission unit's compliance with the PBR or Standard Permit. These records may include, but are not limited to, production capacity and throughput, hours of operation, safety data sheets (SDS), chemical composition of raw materials, speciation of air contaminant data, engineering calculations, maintenance records, fugitive data, performance tests, capture/control device efficiencies, direct pollutant monitoring (CEMS, COMS, or PEMS), or control device parametric monitoring. These records shall be made readily accessible and available as required by 30 TAC § 122.144. Any monitoring or recordkeeping data indicating noncompliance with the PBR or Standard Permit shall be considered and reported as a deviation according to 30 TAC § 122.145 (Reporting Terms and Conditions).

Compliance Requirements

12. The permit holder shall certify compliance in accordance with 30 TAC § 122.146. The permit holder shall comply with 30 TAC § 122.146 using at a minimum, but not limited to, the continuous or intermittent compliance method data from monitoring, recordkeeping, reporting, or testing required by the permit and any other credible evidence or information. The certification period may not exceed 12 months and the certification must be submitted within 30 days after the end of the period being certified.
13. Use of Emission Credits to comply with applicable requirements:
- A. Unless otherwise prohibited, the permit holder may use emission credits to comply with the following applicable requirements listed elsewhere in this permit:
 - (i) Title 30 TAC Chapter 115
 - (ii) Title 30 TAC Chapter 117
 - (iii) Offsets for Title 30 TAC Chapter 116
 - B. The permit holder shall comply with the following requirements in order to use the emission credits to comply with the applicable requirements:
 - (i) The permit holder must notify the TCEQ according to 30 TAC § 101.306(c)-(d)
 - (ii) The emission credits to be used must meet all the geographic, timeliness, applicable pollutant type, and availability requirements listed in 30 TAC Chapter 101, Subchapter H, Division 1

- (iii) The executive director has approved the use of the credit according to 30 TAC § 101.306(c)-(d)
- (iv) The permit holder keeps records of the use of credits towards compliance with the applicable requirements in accordance with 30 TAC § 101.302(g) and 30 TAC Chapter 122
- (v) Title 30 TAC § 101.305 (relating to Emission Reductions Achieved Outside the United States)

14. Use of Discrete Emission Credits to comply with the applicable requirements:

- A. Unless otherwise prohibited, the permit holder may use discrete emission credits to comply with the following applicable requirements listed elsewhere in this permit:
 - (i) Title 30 TAC Chapter 115
 - (ii) Title 30 TAC Chapter 117
 - (iii) If applicable, offsets for Title 30 TAC Chapter 116
 - (iv) Temporarily exceed state NSR permit allowables
- B. The permit holder shall comply with the following requirements in order to use the credit to comply with the applicable requirements:
 - (i) The permit holder must notify the TCEQ according to 30 TAC § 101.376(d)
 - (ii) The discrete emission credits to be used must meet all the geographic, timeliness, applicable pollutant type, and availability requirements listed in 30 TAC Chapter 101, Subchapter H, Division 4
 - (iii) The executive director has approved the use of the discrete emission credits according to 30 TAC § 101.376(d)(1)(A)
 - (iv) The permit holder keeps records of the use of credits towards compliance with the applicable requirements in accordance with 30 TAC § 101.372(h) and 30 TAC Chapter 122
 - (v) Title 30 TAC § 101.375 (relating to Emission Reductions Achieved Outside the United States)

Protection of Stratospheric Ozone

15. Permit holders at a site subject to Title VI of the FCAA Amendments shall meet the following requirements for protection of stratospheric ozone:

- A. Any on site servicing, maintenance, and repair on refrigeration and nonmotor vehicle air-conditioning appliances using ozone-depleting refrigerants or non-exempt substitutes shall be conducted in accordance with 40 CFR Part 82, Subpart F. Permit holders shall ensure that repairs on or refrigerant removal from refrigeration and nonmotor vehicle air-conditioning appliances using ozone-depleting refrigerants are performed only by properly certified technicians using certified equipment. Records shall be maintained as required by 40 CFR Part 82, Subpart F.

Permit Location

16. The permit holder shall maintain a copy of this permit and records related to requirements listed in this permit on site.

Permit Shield (30 TAC § 122.148)

17. A permit shield is granted for the emission units, groups, or processes specified in the attached "Permit Shield." Compliance with the conditions of the permit shall be deemed compliance with the specified potentially applicable requirements or specified potentially applicable state-only requirements listed in the attachment "Permit Shield." Permit shield provisions shall not be modified by the executive director until notification is provided to the permit holder. No later than 90 days after notification of a change in a determination made by the executive director, the permit holder shall apply for the appropriate permit revision to reflect the new determination. Provisional terms are not eligible for this permit shield. Any term or condition, under a permit shield, shall not be protected by the permit shield if it is replaced by a provisional term or condition or the basis of the term and condition changes.

Attachments

Applicable Requirements Summary

Permit Shield

New Source Review Authorization References

Applicable Requirements Summary

Unit Summary	12
---------------------------	-----------

Applicable Requirements Summary	31
--	-----------

Note: A “none” entry may be noted for some emission sources in this permit’s “Applicable Requirements Summary” under the heading of “Monitoring and Testing Requirements” and/or “Recordkeeping Requirements” and/or “Reporting Requirements.” Such a notation indicates that there are no requirements for the indicated emission source as identified under the respective column heading(s) for the stated portion of the regulation when the emission source is operating under the conditions of the specified SOP Index Number. However, other relevant requirements pursuant to 30 TAC Chapter 122 including Recordkeeping Terms and Conditions (30 TAC § 122.144), Reporting Terms and Conditions (30 TAC § 122.145), and Compliance Certification Terms and Conditions (30 TAC § 122.146) continue to apply.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
35FUG_ILGU1	Fugitive Emission Units	N/A	60VV-001	40 CFR Part 60, Subpart VV	No changing attributes.
35FUG_ILGU2	Fugitive Emission Units	N/A	60VV-001	40 CFR Part 60, Subpart VV	No changing attributes.
35HTR#002	Process Heaters/Furnaces	N/A	63DDDDD	40 CFR Part 63, Subpart DDDDD	No changing attributes.
35LRA#002	Loading/Unloading Operations	N/A	115-1	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
35LRA#007	Loading/Unloading Operations	N/A	115-6	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
35LTR#005	Loading/Unloading Operations	N/A	115-1	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
35OWS#F208	Volatile Organic Compound Water Separators	N/A	115-30	30 TAC Chapter 115, Water Separation	No changing attributes.
35OWS#F284	Volatile Organic Compound Water Separators	N/A	115-30	30 TAC Chapter 115, Water Separation	No changing attributes.
35OWS#F285	Volatile Organic Compound Water Separators	N/A	115OWS-1	30 TAC Chapter 115, Water Separation	No changing attributes.
35TFX#A211	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A212	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A213	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A214	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
35TFX#A215	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A216	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A217	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A218	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A219	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A220	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A221	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A222	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A231	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A232	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A233	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A234	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A235	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A236	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
35TFX#A238	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A239	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A240	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A241	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A242	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A243	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A244	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A245	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A246	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A248	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A249	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A250	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A251	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A252	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
35TFX#A253	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A254	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A255	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A256	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A257	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A258	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A259	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A260	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A261	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A262	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A263	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A296	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A297	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A298	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
35TFX#A300	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A301	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A302	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A303	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A304	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A305	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A306	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A308	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#A309	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B201	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B202	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B203	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B204	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B205	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
35TFX#B206	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B207	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B208	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B209	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B210	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B211	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B212	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B213	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B214	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B215	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B216	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B217	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B218	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B219	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
35TFX#B220	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B221	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B222	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B223	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B224	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B225	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B226	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B227	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B228	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B229	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B230	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B231	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B232	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B233	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
35TFX#B234	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B235	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B236	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B237	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B238	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#B239	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F201	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F202	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F203	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F204	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F205	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F206	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F207	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F209	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
35TFX#F210	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F211	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F212	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F213	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F214	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F215	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F216	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F217	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F218	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F219	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F220	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F221	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F222	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F223	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
35TFX#F224	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F225	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F226	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F227	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F228	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F229	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F230	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F231	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F232	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F233	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F234	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F235	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F236	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F237	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
35TFX#F238	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F239	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F240	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F241	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F242	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F243	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F244	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F245	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F246	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F247	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F248	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F249	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F250	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F251	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
35TFX#F252	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F253	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F254	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F255	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F256	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F257	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F258	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F259	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F260	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F261	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F262	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F263	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F264	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F265	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
35TFX#F266	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F267	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F268	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F269	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F270	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F271	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F272	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F273	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F274	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F275	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F276	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F277	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F278	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F279	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
35TFX#F280	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F281	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F282	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F283	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F284	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F285	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F287	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F288	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F289	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F290	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F291	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F292	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F293	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F294	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
35TFX#F295	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F297	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F901	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F902	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F903	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F904	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F906	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F907	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F908	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F910	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F912	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F913	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F916	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F917	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
35TFX#F918	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F919	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F920	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#F921	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#M201	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#M202	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#M203	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#M212	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#M213	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#M220	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#M221	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#M298	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#M299	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#M300	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
35TFX#W201	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#W202	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#W203	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#W204	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#W205	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#W206	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#W207	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#W208	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#W209	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35TFX#W210	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
35VNT_001	Emission Points/Stationary Vents/Process Vents	N/A	115-10	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
35VNT_002	Emission Points/Stationary Vents/Process Vents	N/A	115-11	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
35VNT_003	Emission Points/Stationary Vents/Process Vents	N/A	115-12	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
35VNT_004	Emission Points/Stationary Vents/Process Vents	N/A	115-13	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
35VNT_005	Emission Points/Stationary Vents/Process Vents	N/A	115-14	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
35VNT_006	Emission Points/Stationary Vents/Process Vents	N/A	115-15	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
35VNT_007	Emission Points/Stationary Vents/Process Vents	N/A	115-16	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
35VNT_008	Emission Points/Stationary Vents/Process Vents	N/A	115-17	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
35VNT_009	Emission Points/Stationary Vents/Process Vents	N/A	115-18	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
35VNT_010	Emission Points/Stationary Vents/Process Vents	N/A	115-19	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
35VNT_011	Emission Points/Stationary Vents/Process Vents	N/A	115-20	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
35VNT_012	Emission Points/Stationary Vents/Process Vents	N/A	115-21	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
35VNT_013	Emission Points/Stationary Vents/Process Vents	N/A	115-22	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
35VNT_014	Emission Points/Stationary Vents/Process Vents	N/A	115-23	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
35VNT_015	Emission Points/Stationary Vents/Process Vents	N/A	115-24	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
35VNT_016	Emission Points/Stationary Vents/Process Vents	N/A	115-25	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
35VNT_017	Emission Points/Stationary Vents/Process Vents	N/A	115-001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
35VNT_017	Distillation Operations	N/A	60NNN-004	40 CFR Part 60, Subpart NNN	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
35VNT_017	Reactor	N/A	60RRR-002	40 CFR Part 60, Subpart RRR	No changing attributes.
35VNT_018	Emission Points/Stationary Vents/Process Vents	N/A	115-001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
35VNT_018	Distillation Operations	N/A	60NNN-004	40 CFR Part 60, Subpart NNN	No changing attributes.
35VNT_018	Reactor	N/A	60RRR-002	40 CFR Part 60, Subpart RRR	No changing attributes.
AUX-TANK1	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
AUX-TANK2	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
GEN-ENG	SRIC Engines	N/A	63ZZZZ-2	40 CFR Part 63, Subpart ZZZZ	No changing attributes.
GEN-TANK	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
ILGUMEOHTK	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
PORTDIESL	SRIC Engines	N/A	63ZZZZ-3	40 CFR Part 63, Subpart ZZZZ	No changing attributes.
PUMP-ENG	SRIC Engines	N/A	60IIII-01	40 CFR Part 60, Subpart IIII	No changing attributes.
PUMP-ENG	SRIC Engines	N/A	63ZZZZ-1	40 CFR Part 63, Subpart ZZZZ	No changing attributes.
PUMP-TANK	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
WTRPMPTK	Storage Tanks/Vessels	N/A	115TANK-01	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35FUG_ILGU1	EU	60VV-001	VOC	40 CFR Part 60, Subpart VV	§ 60.480(d)(2) § 60.480(d)(1) § 60.486(k)	Any affected facility that has the design capacity to produce less than 1,000 Mg/yr (1,102 ton/yr) of a chemical listed in § 60.489 is exempt from §§ 60.482-1 through 60.482-10.	None	[G]§ 60.486(a) § 60.486(i) § 60.486(i)(1)	None
35FUG_ILGU2	EU	60VV-001	VOC	40 CFR Part 60, Subpart VV	§ 60.480(d)(2) § 60.480(d)(1) § 60.486(k)	Any affected facility that has the design capacity to produce less than 1,000 Mg/yr (1,102 ton/yr) of a chemical listed in § 60.489 is exempt from §§ 60.482-1 through 60.482-10.	None	[G]§ 60.486(a) § 60.486(i) § 60.486(i)(1)	None
35HTR#002	EU	63DDDDDD	112(B) HAPS	40 CFR Part 63, Subpart DDDDD	§ 63.7505 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart DDDDD	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart DDDDD	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart DDDDD	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart DDDDD	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart DDDDD
35LRA#002	EU	115-1	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35LRA#007	EU	115-6	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
35LTR#005	EU	115-1	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
35OWS#F208	EU	115-30	VOC	30 TAC Chapter 115, Water Separation	§ 115.137(a)(2) [G]§ 115.132(a)(4)	Any single or multiple compartment VOC water separator which separates materials having a true vapor pressure of VOC < .5 psia obtained from any equipment is exempt from §115.132(a).	[G]§ 115.135(a) § 115.136(a)(1) § 115.136(a)(3) § 115.136(a)(4)	§ 115.136(a)(1) § 115.136(a)(3) § 115.136(a)(4)	None
35OWS#F284	EU	115-30	VOC	30 TAC Chapter 115, Water Separation	§ 115.137(a)(2) [G]§ 115.132(a)(4)	Any single or multiple compartment VOC water separator which separates materials having a true vapor pressure of VOC < .5 psia obtained from any equipment is exempt from §115.132(a).	[G]§ 115.135(a) § 115.136(a)(1) § 115.136(a)(3) § 115.136(a)(4)	§ 115.136(a)(1) § 115.136(a)(3) § 115.136(a)(4)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35OWS#F285	EU	115OWS-1	VOC	30 TAC Chapter 115, Water Separation	§ 115.137(a)(2) [G]§ 115.132(a)(4)	Any single or multiple compartment VOC water separator which separates materials having a true vapor pressure of VOC < .5 psia obtained from any equipment is exempt from §115.132(a).	[G]§ 115.135(a) § 115.136(a)(1) § 115.136(a)(3) § 115.136(a)(4)	§ 115.136(a)(1) § 115.136(a)(3) § 115.136(a)(4)	None
35TFX#A211	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A212	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A213	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A214	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#A215	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A216	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A217	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A218	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A219	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#A220	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A221	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A222	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A231	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A232	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#A233	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A234	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A235	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A236	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A238	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#A239	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A240	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A241	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A242	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A243	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#A244	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A245	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A246	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A248	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A249	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#A250	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A251	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A252	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A253	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A254	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#A255	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A256	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A257	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A258	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A259	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#A260	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A261	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A262	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A263	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A296	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#A297	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A298	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A300	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A301	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A302	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#A303	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A304	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A305	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A306	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#A308	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#A309	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B201	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B202	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B203	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B204	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#B205	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B206	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B207	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B208	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B209	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#B210	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B211	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B212	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B213	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B214	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#B215	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B216	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B217	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B218	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B219	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#B220	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B221	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B222	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B223	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B224	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#B225	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B226	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B227	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B228	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B229	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#B230	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B231	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B232	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B233	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B234	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#B235	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B236	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B237	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B238	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#B239	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#F201	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F202	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F203	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F204	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F205	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#F206	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F207	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F209	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F210	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F211	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#F212	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F213	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F214	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F215	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F216	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#F217	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F218	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F219	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F220	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F221	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#F222	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F223	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F224	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F225	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F226	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#F227	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F228	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F229	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F230	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F231	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#F232	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F233	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F234	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F235	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F236	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#F237	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F238	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F239	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F240	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F241	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#F242	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F243	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F244	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F245	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F246	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#F247	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F248	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F249	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F250	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F251	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#F252	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F253	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F254	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F255	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F256	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#F257	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F258	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F259	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F260	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F261	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#F262	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F263	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F264	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F265	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F266	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#F267	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F268	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F269	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F270	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F271	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#F272	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F273	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F274	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F275	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F276	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#F277	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F278	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F279	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F280	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F281	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#F282	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F283	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F284	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F285	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F287	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#F288	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F289	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F290	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F291	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F292	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#F293	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F294	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F295	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F297	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F901	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#F902	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F903	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F904	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F906	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F907	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#F908	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F910	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F912	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F913	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F916	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#F917	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F918	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F919	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F920	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#F921	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#M201	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#M202	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#M203	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#M212	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#M213	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#M220	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#M221	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#M298	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#M299	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#M300	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#W201	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#W202	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#W203	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#W204	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#W205	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35TFX#W206	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#W207	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#W208	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#W209	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
35TFX#W210	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35VNT_001	EP	115-10	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
35VNT_002	EP	115-11	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
35VNT_003	EP	115-12	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
35VNT_004	EP	115-13	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35VNT_005	EP	115-14	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
35VNT_006	EP	115-15	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
35VNT_007	EP	115-16	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
35VNT_008	EP	115-17	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35VNT_009	EP	115-18	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
35VNT_010	EP	115-19	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
35VNT_011	EP	115-20	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
35VNT_012	EP	115-21	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35VNT_013	EP	115-22	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
35VNT_014	EP	115-23	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
35VNT_015	EP	115-24	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
35VNT_016	EP	115-25	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35VNT_017	EP	115-001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(4)(C) [G]§ 115.122(a)(4) § 115.127(a)(4)	Any reactor process or distillation operation vent gas stream with a flow rate less than 0.388 standard cubic feet per minute or a VOC concentration less than 500 ppmv is exempt from the requirements of §115.121(a)(2)(A) of this title.	[G]§ 115.125 § 115.126(2) § 115.126(3)(D)	§ 115.126 § 115.126(2) § 115.126(3) § 115.126(3)(D)	None
35VNT_017	EP	60NNN-004	VOC/TOC	40 CFR Part 60, Subpart NNN	§ 60.660(c)(6)	Each affected facility operated with vent stream flow rate <0.008 scm/min (< 0.28 scf/min) is exempt from all provisions of this subpart except requirements in §60.664(g); §60.665(i), (l)(5), (o).	§ 60.664(h) § 60.665(l)(5)	§ 60.665(i)	§ 60.665(l) § 60.665(l)(5) § 60.665(o)
35VNT_017	EP	60RRR-002	VOC/TOC	40 CFR Part 60, Subpart RRR	§ 60.700(c)(5)	Vent streams routed to distillation units subject to subpart NNN with no other air releases except for a pressure relief valve, are exempt from all provisions of this subpart except for §60.705(r).	None	None	§ 60.705(r)
35VNT_018	EP	115-001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(4)(C) [G]§ 115.122(a)(4) § 115.127(a)(4)	Any reactor process or distillation operation vent gas stream with a flow rate less than 0.388 standard cubic feet per minute or a VOC concentration less than 500 ppmv is exempt from the requirements of §115.121(a)(2)(A) of this title.	[G]§ 115.125 § 115.126(2) § 115.126(3)(D)	§ 115.126 § 115.126(2) § 115.126(3) § 115.126(3)(D)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
35VNT_018	EP	60NNN-004	VOC/TOC	40 CFR Part 60, Subpart NNN	§ 60.660(c)(6)	Each affected facility operated with vent stream flow rate <0.008 scm/min (< 0.28 scf/min) is exempt from all provisions of this subpart except requirements in §60.664(g); §60.665(i), (l)(5), (o).	§ 60.664(h) § 60.665(l)(5)	§ 60.665(i)	§ 60.665(l) § 60.665(l)(5) § 60.665(o)
35VNT_018	EP	60RRR-002	VOC/TOC	40 CFR Part 60, Subpart RRR	§ 60.700(c)(5)	Vent streams routed to distillation units subject to subpart NNN with no other air releases except for a pressure relief valve, are exempt from all provisions of this subpart except for §60.705(r).	None	None	§ 60.705(r)
AUX-TANK1	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
AUX-TANK2	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
GEN-ENG	EU	63ZZZZ-2	112(B) HAPS	40 CFR Part 63, Subpart ZZZZ	§ 63.6602-Table2c.1 § 63.6595(a)(1) § 63.6605(a) § 63.6605(b) § 63.6625(e) § 63.6625(h) § 63.6625(i) § 63.6640(f)(1) § 63.6640(f)(2) § 63.6640(f)(2)(i) § 63.6640(f)(3)	For each existing emergency stationary CI RICE and black start stationary CI RICE, located at a major source, you must comply with the requirements as specified in Table 2c.1.a-c.	§ 63.6625(f) § 63.6625(i) § 63.6640(a) § 63.6640(a)-Table6.9.a.i § 63.6640(a)-Table6.9.a.ii	§ 63.6625(i) § 63.6655(d) § 63.6655(e) § 63.6655(f) § 63.6660(a) § 63.6660(b) § 63.6660(c)	§ 63.6640(e) § 63.6650(f)
GEN-TANK	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
ILGUMEOHTK	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
PORTDIESL	EU	63ZZZZ-3	112(B) HAPS	40 CFR Part 63, Subpart ZZZZ	§ 63.6602-Table2c.1 § 63.6595(a)(1) § 63.6605(a) § 63.6605(b) § 63.6625(e) § 63.6625(h) § 63.6625(i) § 63.6640(f)(1) § 63.6640(f)(2) § 63.6640(f)(2)(i) § 63.6640(f)(3)	For each existing emergency stationary CI RICE and black start stationary CI RICE, located at a major source, you must comply with the requirements as specified in Table 2c.1.a-c.	§ 63.6625(f) § 63.6625(i) § 63.6640(a) § 63.6640(a)-Table6.9.a.i § 63.6640(a)-Table6.9.a.ii	§ 63.6625(i) § 63.6655(d) § 63.6655(e) § 63.6655(f) § 63.6660(a) § 63.6660(b) § 63.6660(c)	§ 63.6640(e) § 63.6650(f)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
PUMP-ENG	EU	60IIII-01	NO _x	40 CFR Part 60, Subpart IIII	§ 60.4205(a)-Table 1 § 60.4206 § 60.4207(b) § 60.4211(b) § 60.4211(b)(1) [G]§ 60.4211(f) § 60.4218	Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and a displacement of less than 10 liters per cylinder and is a pre-2007 model year must comply with a NO _x emission limit of 9.2 g/KW-hr, as listed in Table 1 to this subpart.	None	None	[G]§ 60.4214(d)
PUMP-ENG	EU	63ZZZZ-1	112(B) HAPS	40 CFR Part 63, Subpart ZZZZ	§ 63.6590(c)	Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part.	None	None	None
PUMP-TANK	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
WTRPMPTK	EU	115TANK-01	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Permit Shield

Permit Shield 88

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35CLAY#001	N/A	30 TAC Chapter 115, Vent Gas Controls	This unit only emits acetone, which by EPA definition is considered a Non-Volatile Organic Compound.
35CTL#023	N/A	40 CFR Part 63, Subpart Q	No Chromium used on or after September 4, 1994.
35FUG#001	N/A	30 TAC Chapter 115, Pet. Refinery & Petrochemicals	The manufacturing of lube oils & grease blending are included in SIC code 2992, and therefore not subject to 115.352 Fugitive Emission Control in Petroleum Refining, Nat Gas/Gasoline Processing, & Petrochemical Processes in Ozone Nonattainment Areas.
35FUG#001	N/A	40 CFR Part 60, Subpart VV	Equipment is located in a process unit that is not a defined SO2MI facility.
35HTR#002	N/A	30 TAC Chapter 112, Sulfur Compounds	This unit does not fire solid or liquid fossil fuels.
35HTR#002	N/A	40 CFR Part 60, Subpart Dc	Maximum design heat input capacity < 10 MMBtu/hr. Construction/modifications/reconstructions prior to 06/09/1989.
35HTR#002	N/A	40 CFR Part 60, Subpart J	This unit was constructed/modified prior to 06/11/1973.
35LFS#001	N/A	30 TAC Chapter 115, Industrial Wastewater	The manufacturing of lubricating oils and grease blending are included in Industry SIC code 2992, and therefore not subject to 115.140 Industrial Wastewater.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35MXR#M101	N/A	30 TAC Chapter 115, Batch Processes	The manufacturing of lubricating oils & grease blending are included in Industry SIC code 2992, and therefore not subject to 115.160 Batch Processes.
35MXR#M102	N/A	30 TAC Chapter 115, Batch Processes	The manufacturing of lubricating oils & grease blending are included in Industry SIC code 2992, and therefore not subject to 115.160 Batch Processes.
35MXR#M103	N/A	30 TAC Chapter 115, Batch Processes	The manufacturing of lubricating oils & grease blending are included in Industry SIC code 2992, and therefore not subject to 115.160 Batch Processes.
35MXR#M104	N/A	30 TAC Chapter 115, Batch Processes	The manufacturing of lubricating oils & grease blending are included in Industry SIC code 2992, and therefore not subject to 115.160 Batch Processes.
35MXR#M104	N/A	40 CFR Part 60, Subpart RRR	Reactor process is designed and operated as a batch operation.
35MXR#M105	N/A	30 TAC Chapter 115, Batch Processes	The manufacturing of lubricating oils & grease blending are included in Industry SIC code 2992, and therefore not subject to 115.160 Batch Processes.
35MXR#M105	N/A	40 CFR Part 60, Subpart RRR	Reactor process is designed and operated as a batch operation.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35MXR#M106	N/A	30 TAC Chapter 115, Batch Processes	The manufacturing of lubricating oils & grease blending are included in Industry SIC code 2992, and therefore not subject to 115.160 Batch Processes.
35MXR#M107	N/A	30 TAC Chapter 115, Batch Processes	The manufacturing of lubricating oils & grease blending are included in Industry SIC code 2992, and therefore not subject to 115.160 Batch Processes.
35MXR#M108	N/A	30 TAC Chapter 115, Batch Processes	The manufacturing of lubricating oils & grease blending are included in Industry SIC code 2992, and therefore not subject to 115.160 Batch Processes.
35MXR#M204	N/A	30 TAC Chapter 115, Batch Processes	The manufacturing of lubricating oils & grease blending are included in Industry SIC code 2992, and therefore not subject to 115.160 Batch Processes.
35MXR#M205	N/A	30 TAC Chapter 115, Batch Processes	The manufacturing of lubricating oils & grease blending are included in industry SIC code 2992, and therefore not subject to 115.160 Batch Processes.
35MXR#M206	N/A	30 TAC Chapter 115, Batch Processes	The manufacturing of lubricating oils & grease blending are included in industry SIC code 2992, and therefore not subject to 115.160 Batch Processes.
35MXR#M207	N/A	30 TAC Chapter 115, Batch Processes	The manufacturing of lubricating oils & grease blending are included in industry SIC code 2992, and therefore not subject to 115.160 Batch Processes.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35MXR#M208	N/A	30 TAC Chapter 115, Batch Processes	The manufacturing of lubricating oils & grease blending are included in industry SIC code 2992, and therefore not subject to 115.160 Batch Processes.
35MXR#M209	N/A	30 TAC Chapter 115, Batch Processes	The manufacturing of lubricating oils & grease blending are included in industry SIC code 2992, and therefore not subject to 115.160 Batch Processes.
35MXR#M210	N/A	30 TAC Chapter 115, Batch Processes	The manufacturing of lubricating oils & grease blending are included in industry SIC code 2992, and therefore not subject to 115.160 Batch Processes.
35MXR#M211	N/A	30 TAC Chapter 115, Batch Processes	The manufacturing of lubricating oils & grease blending are included in industry SIC code 2992, and therefore not subject to 115.160 Batch Processes.
35MXR#M214	N/A	30 TAC Chapter 115, Batch Processes	The manufacturing of lubricating oils & grease blending are included in industry SIC code 2992, and therefore not subject to 115.160 Batch Processes.
35MXR#M215	N/A	30 TAC Chapter 115, Batch Processes	The manufacturing of lubricating oils & grease blending are included in industry SIC code 2992, and therefore not subject to 115.160 Batch Processes.
35MXR#M216	N/A	30 TAC Chapter 115, Batch Processes	The manufacturing of lubricating oils & grease blending are included in industry SIC code 2992, and therefore not subject to 115.160 Batch Processes.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35MXR#M218	N/A	30 TAC Chapter 115, Batch Processes	The manufacturing of lubricating oils & grease blending are included in industry SIC code 2992, and therefore not subject to 115.160 Batch Processes.
35MXR#M219	N/A	30 TAC Chapter 115, Batch Processes	The manufacturing of lubricating oils & grease blending are included in industry SIC code 2992, and therefore not subject to 115.160 Batch Processes.
35MXR#M222	N/A	30 TAC Chapter 115, Batch Processes	The manufacturing of lubricating oils & grease blending are included in industry SIC code 2992, and therefore not subject to 115.160 Batch Processes.
35SDX#001	N/A	30 TAC Chapter 115, Degreasing Processes	True vapor pressure <0.6 psia at 100F, drain area is < 16 in ² , and waste solvent disposed in enclosed containers.
35SEW#001	N/A	30 TAC Chapter 115, Industrial Wastewater	The manufacturing of lubricating oils & grease blending are included in industry SIC code 2992, and therefore not subject to 115.140 Industrial Wastewater.
35SMP#001	N/A	30 TAC Chapter 115, Industrial Wastewater	The manufacturing of lubricating oils & grease blending are included in industry SIC code 2992, and therefore not subject to 115.140 Industrial Wastewater.
35SMP#002	N/A	30 TAC Chapter 115, Industrial Wastewater	The manufacturing of lubricating oils & grease blending are included in industry SIC code 2992, and therefore not subject to 115.140 Industrial Wastewater.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35SMP#003	N/A	30 TAC Chapter 115, Industrial Wastewater	The manufacturing of lubricating oils & grease blending are included in industry SIC code 2992, and therefore not subject to 115.140 Industrial Wastewater.
35SMP#004	N/A	30 TAC Chapter 115, Industrial Wastewater	The manufacturing of lubricating oils & grease blending are included in industry SIC code 2992, and therefore not subject to 115.140 Industrial Wastewater.
35SMP#005	N/A	30 TAC Chapter 115, Industrial Wastewater	The manufacturing of lubricating oils & grease blending are included in industry SIC code 2992, and therefore not subject to 115.140 Industrial Wastewater.
35TFX#A211	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#A212	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#A213	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#A214	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#A215	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35TFX#A216	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#A217	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#A218	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#A219	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#A220	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#A221	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#A222	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#A231	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35TFX#A232	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#A233	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#A234	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#A235	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#A236	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#A238	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#A239	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#A240	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35TFX#A241	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#A242	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#A243	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#A244	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#A245	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#A246	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#A248	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#A249	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35TFX#A250	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#A251	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#A252	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#A253	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#A254	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#A255	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#A256	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#A257	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35TFX#A258	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#A259	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#A260	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#A261	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#A262	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#A263	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#A296	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35TFX#A297	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#A300	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35TFX#A301	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#A302	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35TFX#A303	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35TFX#A304	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35TFX#A305	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35TFX#A306	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35TFX#A307	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35TFX#A308	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35TFX#A309	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35TFX#B201	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#B202	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#B203	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#B204	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35TFX#B205	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#B206	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#B207	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#B208	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#B209	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#B210	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#B211	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#B212	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35TFX#B213	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#B214	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#B215	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#B216	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#B217	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#B218	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#B219	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#B220	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35TFX#B221	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#B222	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#B223	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#B224	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#B225	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#B226	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#B227	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#B228	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35TFX#B229	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#B230	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#B231	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#B232	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity greater than 151m ³ and true vapor pressure less than 3.5 kPa (0.5 psia)
35TFX#B233	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity greater than 151m ³ and true vapor pressure less than 3.5 kPa (0.5 psia)
35TFX#B234	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity greater than 151m ³ and true vapor pressure less than 3.5 kPa (0.5 psia)
35TFX#B235	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity greater than 151m ³ and true vapor pressure less than 3.5 kPa (0.5 psia)
35TFX#B236	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity greater than 151m ³ and true vapor pressure less than 3.5 kPa (0.5 psia)

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35TFX#B237	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity greater than 151m ³ and true vapor pressure less than 3.5 kPa (0.5 psia)
35TFX#F201	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F202	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F203	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F204	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F205	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F206	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F207	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35TFX#F209	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F210	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F211	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F212	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F213	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F214	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F215	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F216	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35TFX#F217	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F218	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F219	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F220	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F221	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F222	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F223	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F224	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35TFX#F225	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F226	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F227	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F228	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F229	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F230	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F231	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F232	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35TFX#F233	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F234	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F235	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F236	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F237	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F238	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F239	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F240	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35TFX#F241	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F242	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F243	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F244	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F245	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F246	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F247	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F248	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35TFX#F249	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F250	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F251	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F252	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F253	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F254	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F255	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F256	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35TFX#F257	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F258	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F259	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F260	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F261	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F262	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F263	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F264	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35TFX#F265	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F266	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F267	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F268	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F269	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#F270	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity greater than 151m ³ and true vapor pressure less than 3.5 kPa (0.5 psia)
35TFX#F271	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity greater than 151m ³ and true vapor pressure less than 3.5 kPa (0.5 psia)
35TFX#F272	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity greater than 151m ³ and true vapor pressure less than 3.5 kPa (0.5 psia)

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35TFX#F273	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity greater than 151m ³ and true vapor pressure less than 3.5 kPa (0.5 psia)
35TFX#F274	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity greater than 151m ³ and true vapor pressure less than 3.5 kPa (0.5 psia)
35TFX#F275	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#F276	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#F277	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#F278	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#F279	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#F280	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35TFX#F281	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#F282	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#F283	N/A	40 CFR Part 60, Subpart K	Exempt from NSPS K because both the Reid vapor pressure & TVP are less than 1.0 psia.
35TFX#F284	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#F285	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#F287	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35TFX#F288	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35TFX#F289	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35TFX#F290	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35TFX#F291	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35TFX#F292	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35TFX#F293	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35TFX#F294	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity greater than 151m ³ and true vapor pressure less than 3.5 kPa (0.5 psia)
35TFX#F901	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35TFX#F902	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35TFX#F903	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35TFX#F904	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35TFX#F906	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35TFX#F907	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35TFX#F908	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35TFX#F910	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35TFX#F912	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35TFX#F913	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35TFX#F916	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#F917	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#F918	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#F919	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35TFX#F920	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#F921	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35TFX#M201	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#M202	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#M203	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#M212	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#M213	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity greater than 151m ³ and true vapor pressure less than 3.5 kPa (0.5 psia)
35TFX#M220	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity greater than 151m ³ and true vapor pressure less than 3.5 kPa (0.5 psia)
35TFX#M221	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#M298	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35TFX#M299	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity between 75m ³ and 151m ³ and true vapor pressure less than 15kPa (2.2 psia)
35TFX#W201	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#W202	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#W203	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#W204	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#W205	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#W206	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#W207	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
35TFX#W208	N/A	40 CFR Part 60, Subpart K	Construction and any modifications or reconstructions all commenced prior to June 11, 1973.
35TFX#W209	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35TFX#W210	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
35WWFUG001	N/A	40 CFR Part 60, Subpart VV	Equipment is located in a process that is not a defined SO2MI facility
AUX-TANK1	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
AUX-TANK2	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
GEN-TANK	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
PORTDIESL	N/A	40 CFR Part 60, Subpart IIII	Manufactured in 2005 (before 4/1/2006) and not modified or reconstructed since.
PUMP-TANK	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³
WTRPMPTK	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity less than 75m ³

New Source Review Authorization References

New Source Review Authorization References	120
New Source Review Authorization References by Emission Unit	121

New Source Review Authorization References

The New Source Review authorizations listed in the table below are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Permits By Rule (30 TAC Chapter 106) for the Application Area	
Number: 106.122	Version No./Date: 09/04/2000
Number: 106.183	Version No./Date: 09/04/2000
Number: 106.227	Version No./Date: 09/04/2000
Number: 106.261	Version No./Date: 03/14/1997
Number: 106.261	Version No./Date: 12/24/1998
Number: 106.261	Version No./Date: 09/04/2000
Number: 106.261	Version No./Date: 11/01/2003
Number: 106.263	Version No./Date: 11/01/2001
Number: 106.264	Version No./Date: 09/04/2000
Number: 106.371	Version No./Date: 09/04/2000
Number: 106.414	Version No./Date: 09/04/2000
Number: 106.454	Version No./Date: 11/01/2001
Number: 106.472	Version No./Date: 03/14/1997
Number: 106.472	Version No./Date: 09/04/2000
Number: 106.473	Version No./Date: 09/04/2000
Number: 106.511	Version No./Date: 09/04/2000
Number: 51	Version No./Date: 09/12/1989
Number: 51	Version No./Date: 07/20/1992
Number: 51	Version No./Date: 05/04/1994
Number: 59	Version No./Date: 05/05/1976
Number: 61	Version No./Date: 05/08/1972
Number: 86	Version No./Date: 09/12/1989
Number: 86	Version No./Date: 09/13/1993
Number: 86	Version No./Date: 10/04/1995
Number: 106	Version No./Date: 09/13/1993
Number: 106	Version No./Date: 05/04/1994
Number: 118	Version No./Date: 05/04/1994

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
35CLAY#001	Blending and Packaging Synthetic Clay Manufacturer	118/05/04/1994
35CTL#023	Blending and Packaging Cooling Tower No. 23	106.371/09/04/2000
35FUG#001	Blending and Packaging Fugitive Emissions	106.261/11/01/2003, 106.472/09/04/2000
35FUG_ILGU1	B. and P. Cont. Grease Unit ILGU1 Fugitives	106.261/12/24/1998
35FUG_ILGU2	B. and P. Cont. Grease Unit ILGU2 Fugitives	106.261/09/04/2000
35HTR#002	Blending and Packaging West Heater	106.183/09/04/2000
35LFS#001	Blending and Packaging Lift Station	106.261/03/14/1997
35LRA#002	Blending & Pkg. Tank Truck & Tank Car Loading Bays	106.472/09/04/2000
35LRA#007	Blending & Pkg. Tank Truck & Car Offloading & Load	106.472/09/04/2000
35LTR#005	Blending & Packaging Tank Truck Loading	106.472/09/04/2000
35MXR#M101	Blending & Packaging M101 Grease Kettle East	106.414/09/04/2000
35MXR#M102	Blending & Packaging M102 Grease Kettle East	106.414/09/04/2000
35MXR#M103	Blending & Packaging M103 Grease Kettle East	106.414/09/04/2000
35MXR#M104	Blending & Packaging M104 Statco Contractors	106.414/09/04/2000
35MXR#M105	Blending & Packaging M105 Stacto Contractors	106.414/09/04/2000
35MXR#M106	Blending & Packaging M106 Grease Kettle East	106.414/09/04/2000
35MXR#M107	Blending & Packaging M107 Grease Kettle East	106.414/09/04/2000
35MXR#M108	Blending & Packaging M108 Grease Kettle East	106.414/09/04/2000
35MXR#M204	Blending & Packaging M204 Lube Mixer	106.414/09/04/2000
35MXR#M205	Blending & Packaging M205 Lube Mixer	106.414/09/04/2000
35MXR#M206	Blending & Packaging M206 Lube Mixer	106.414/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
35MXR#M207	Blending & Packaging M207 Lube Mixer	106.414/09/04/2000
35MXR#M208	Blending & Packaging M208 Lube Mixer	106.414/09/04/2000
35MXR#M209	Blending & Packaging M209 Lube Mixer	106.414/09/04/2000
35MXR#M210	Blending & Packaging M210 Lube Mixer	106.414/09/04/2000
35MXR#M211	Blending & Packaging M211 Lube Mixer	106.414/09/04/2000
35MXR#M214	Blending & Packaging M214 Lube Mixer	106.414/09/04/2000
35MXR#M215	Blending & Packaging M215 Lube Mixer	106.414/09/04/2000
35MXR#M216	Blending & Packaging M216 Lube Mixer	106.414/09/04/2000
35MXR#M218	Blending & Packaging M218 Lube Mixer	106.414/09/04/2000
35MXR#M219	Blending & Packaging M219 Lube Mixer	106.414/09/04/2000
35MXR#M222	Blending & Pkg M222 Lube Oil & Grease Mixer	106.414/09/04/2000
35OWS#F208	Blending & Pkg Finished Lube Oil Water Sep No. 208	106.261/03/14/1997
35OWS#F284	Blending & Pkg Finished Lube Oil Water Sep No. 284	106.261/03/14/1997
35OWS#F285	Blending and Packaging Finished Lubricant OWS	106/09/13/1993
35SDX#001	Blending and Packaging Remote Cold Solv. Degreaser	106.454/11/01/2001
35SEW#001	Industrial Waste Water Sewer	106.261/03/14/1997
35SMP#001	Blending & Packaging Drum Loading Station Sump	106.261/03/14/1997
35SMP#002	Blending & Packaging 7 Track Sump	106.261/03/14/1997
35SMP#003	Blending & Packaging Area Sump	106.261/03/14/1997
35SMP#004	Blending & Pkg Truck & Tank Car Loading Bay Sump	106.261/03/14/1997
35SMP#005	Blending & Pkg Shredding/Product Recycle Sump	106.261/03/14/1997

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
35TFX#A211	Blending & Packaging Additive Storage Tank No. 211	106.472/09/04/2000
35TFX#A212	Blending & Packaging Additive Storage Tank No. 212	106.472/09/04/2000
35TFX#A213	Blending & Packaging Additive Storage Tank No. 213	106.472/09/04/2000
35TFX#A214	Blending & Packaging Additive Storage Tank No. 214	106.472/09/04/2000
35TFX#A215	Blending & Packaging Additive Storage Tank No. 215	106.472/09/04/2000
35TFX#A216	Blending & Packaging Additive Storage Tank No. 216	106.472/09/04/2000
35TFX#A217	Blending & Packaging Additive Storage Tank No. 217	106.472/09/04/2000
35TFX#A218	Blending & Packaging Additive Storage Tank No. 218	106.472/09/04/2000
35TFX#A219	Blending & Packaging Additive Storage Tank No. 219	106.472/09/04/2000
35TFX#A220	Blending & Packaging Additive Storage Tank No. 220	106.472/09/04/2000
35TFX#A221	Blending & Packaging Additive Storage Tank No. 221	106.472/09/04/2000
35TFX#A222	Blending & Packaging Additive Storage Tank No. 222	106.472/09/04/2000
35TFX#A231	Blending & Packaging Additive Storage Tank No. 231	106.472/09/04/2000
35TFX#A232	Blending & Packaging Additive Storage Tank No. 232	106.472/09/04/2000
35TFX#A233	Blending & Packaging Additive Storage Tank No. 233	106.472/09/04/2000
35TFX#A234	Blending & Packaging Additive Storage Tank No. 234	106.472/09/04/2000
35TFX#A235	Blending & Packaging Additive Storage Tank No. 235	106.472/09/04/2000
35TFX#A236	Blending & Packaging Additive Storage Tank No. 236	106.472/09/04/2000
35TFX#A238	Blending & Packaging Additive Storage Tank No. 238	106.472/09/04/2000
35TFX#A239	Blending & Packaging Additive Storage Tank No. 239	106.472/09/04/2000
35TFX#A240	Blending & Packaging Additive Storage Tank No. 240	106.472/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
35TFX#A241	Blending & Packaging Additive Storage Tank No. 241	106.472/09/04/2000
35TFX#A242	Blending & Packaging Additive Storage Tank No. 242	106.472/09/04/2000
35TFX#A243	Blending & Packaging Additive Storage Tank No. 243	106.472/09/04/2000
35TFX#A244	Blending & Packaging Additive Storage Tank No. 244	106.472/09/04/2000
35TFX#A245	Blending & Packaging Additive Storage Tank No. 245	106.472/09/04/2000
35TFX#A246	Blending & Packaging Additive Storage Tank No. 246	106.472/09/04/2000
35TFX#A248	Blending & Packaging Additive Storage Tank No. 248	106.472/09/04/2000, 86/09/12/1989
35TFX#A249	Blending & Packaging Additive Storage Tank No. 249	86/09/12/1989
35TFX#A250	Blending & Packaging Additive Storage Tank No. 250	86/09/12/1989
35TFX#A251	Blending & Packaging Additive Storage Tank No. 251	86/09/12/1989
35TFX#A252	Blending & Packaging Additive Storage Tank No. 252	106.472/09/04/2000, 86/09/12/1989
35TFX#A253	Blending & Packaging Additive Storage Tank No. 253	86/09/12/1989
35TFX#A254	Blending & Packaging Additive Storage Tank No. 254	86/09/12/1989
35TFX#A255	Blending & Packaging Additive Storage Tank No. 255	86/09/13/1993
35TFX#A256	Blending & Packaging Additive Storage Tank No. 256	86/09/13/1993
35TFX#A257	Blending & Packaging Additive Storage Tank No. 257	86/09/13/1993
35TFX#A258	Blending & Packaging Additive Storage Tank No. 258	106.472/09/04/2000, 86/09/13/1993
35TFX#A259	Blending & Packaging Additive Storage Tank No. 259	106.472/09/04/2000, 86/09/13/1993
35TFX#A260	Blending & Packaging Additive Storage Tank No. 260	106.472/09/04/2000, 86/09/13/1993
35TFX#A261	Blending & Packaging Additive Storage Tank No. 261	106.472/09/04/2000, 86/09/13/1993
35TFX#A262	Blending & Packaging Additive Storage Tank No. 262	106.472/09/04/2000, 86/10/04/1995

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
35TFX#A263	Blending & Packaging Additive Storage Tank No. 263	106.472/09/04/2000, 86/10/04/1995
35TFX#A296	Blending & Packaging Additive Storage Tank No. 296	106.472/03/14/1997
35TFX#A297	Blending and Pack. Add. Storage Tank No. 297	106.472/09/04/2000
35TFX#A298	Blending and Packaging Storage Tank No. A-298	106.472/09/04/2000
35TFX#A300	Blending and Packaging Add. Storage Tank No. 300	106.472/09/04/2000
35TFX#A301	Blending and Packaging Add. Storage Tank No. 301	106.472/09/04/2000
35TFX#A302	Blending and Packaging Add. Storage Tank No. 302	106.472/09/04/2000
35TFX#A303	Blending and Packaging Add. Storage Tank No. 303	106.472/09/04/2000
35TFX#A304	Blending and Packaging Add. Storage Tank No. 304	106.472/09/04/2000
35TFX#A305	Blending and Packaging Add. Storage Tank No. 305	106.472/09/04/2000
35TFX#A306	Blending and Packaging Add. Storage Tank No. 306	106.472/09/04/2000
35TFX#A307	Blending and Packaging Add. Storage Tank No. 307	106.472/09/04/2000
35TFX#A308	Blending and Packaging Add. Storage Tank No. 308	106.472/09/04/2000
35TFX#A309	Blending and Packaging Add. Storage Tank No. 309	106.472/09/04/2000
35TFX#B201	Blending & Pkg Lube Oil & Grease Tank No. 201	106.472/09/04/2000
35TFX#B202	Blending & Pkg Lube Oil & Grease Tank No. 202	106.472/09/04/2000
35TFX#B203	Blending & Pkg Lube Oil & Grease Tank No. 203	106.472/09/04/2000
35TFX#B204	Blending & Pkg Lube Oil & Grease Tank No. 204	106.472/09/04/2000
35TFX#B205	Blending & Pkg Lube Oil & Grease Tank No. 205	106.472/09/04/2000
35TFX#B206	Blending & Pkg Lube Oil & Grease Tank No. 206	106.472/09/04/2000
35TFX#B207	Blending & Pkg Lube Oil & Grease Tank No. 207	106.472/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
35TFX#B208	Blending & Pkg Lube Oil & Grease Tank No. 208	106.472/09/04/2000
35TFX#B209	Blending & Pkg Lube Oil & Grease Tank No. 209	106.472/09/04/2000
35TFX#B210	Blending & Pkg Lube Oil & Grease Tank No. 210	106.472/09/04/2000
35TFX#B211	Blending & Pkg Lube Oil & Grease Tank No. 211	106.472/09/04/2000
35TFX#B212	Blending & Pkg Lube Oil & Grease Tank No. 212	106.472/09/04/2000
35TFX#B213	Blending & Pkg Lube Oil & Grease Tank No. 213	106.472/09/04/2000
35TFX#B214	Blending & Pkg Lube Oil & Grease Tank No. 214	106.472/09/04/2000
35TFX#B215	Blending & Pkg Lube Oil & Grease Tank No. 215	106.472/09/04/2000
35TFX#B216	Blending & Pkg Lube Oil & Grease Tank No. 216	106.472/09/04/2000
35TFX#B217	Blending & Pkg Lube Oil & Grease Tank No. 217	106.472/09/04/2000
35TFX#B218	Blending & Pkg Lube Oil & Grease Tank No. 218	106.472/09/04/2000
35TFX#B219	Blending & Pkg Lube Oil & Grease Tank No. 219	106.472/09/04/2000
35TFX#B220	Blending & Pkg Lube Oil & Grease Tank No. 220	106.472/09/04/2000
35TFX#B221	Blending & Pkg Lube Oil & Grease Tank No. 221	106.472/09/04/2000
35TFX#B222	Blending & Pkg Lube Oil & Grease Tank No. 222	106.472/09/04/2000
35TFX#B223	Blending & Pkg Lube Oil & Grease Tank No. 223	106.472/09/04/2000
35TFX#B224	Blending & Pkg Lube Oil & Grease Tank No. 224	106.472/09/04/2000
35TFX#B225	Blending & Pkg Lube Oil & Grease Tank No. 225	106.472/09/04/2000
35TFX#B226	Blending & Pkg Lube Oil & Grease Tank No. 226	106.472/09/04/2000
35TFX#B227	Blending & Pkg Lube Oil & Grease Tank No. 227	106.472/09/04/2000
35TFX#B228	Blending & Pkg Lube Oil & Grease Tank No. 228	106.472/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
35TFX#B229	Blending & Pkg Lube Oil & Grease Tank No. 229	106.472/09/04/2000
35TFX#B230	Blending & Pkg Lube Oil & Grease Tank No. 230	106.472/09/04/2000
35TFX#B231	Blending & Pkg Lube Oil & Grease Tank No. 231	106.472/09/04/2000
35TFX#B232	Blending & Pkg Lube Oil & Grease Tank No. 232	106.472/09/04/2000, 86/09/13/1993
35TFX#B233	Blending & Pkg Lube Oil & Grease Tank No. 233	106.472/09/04/2000, 86/09/13/1993
35TFX#B234	Blending & Pkg Lube Oil & Grease Tank No. 234	86/09/13/1993
35TFX#B235	Blending & Pkg Lube Oil & Grease Tank No. 235	86/09/13/1993
35TFX#B236	Blending & Pkg Lube Oil & Grease Tank No. 236	86/09/13/1993
35TFX#B237	Blending & Pkg Lube Oil & Grease Tank No. 237	106.472/03/14/1997
35TFX#B238	Blending and Packaging Storage Tank No. B-238	106.472/09/04/2000
35TFX#B239	Blending and Packaging Storage Tank No. B-239	106.472/09/04/2000
35TFX#F201	Blending & Pkg Lube Oil & Grease Store Tank No 201	106.472/09/04/2000
35TFX#F202	Blending & Pkg Lube Oil & Grease Store Tank No 202	106.472/09/04/2000
35TFX#F203	Blending & Pkg Lube Oil & Grease Store Tank No 203	106.472/09/04/2000
35TFX#F204	Blending & Pkg Lube Oil & Grease Store Tank No 204	106.472/09/04/2000
35TFX#F205	Blending & Pkg Lube Oil & Grease Store Tank No 205	106.472/09/04/2000
35TFX#F206	Blending & Pkg Lube Oil & Grease Store Tank No 206	106.472/09/04/2000
35TFX#F207	Blending & Pkg Lube Oil & Grease Store Tank No 207	106.472/09/04/2000
35TFX#F209	Blending & Pkg Lube Oil & Grease Store Tank No 209	106.472/09/04/2000
35TFX#F210	Blending & Pkg Lube Oil & Grease Store Tank No 210	106.472/09/04/2000
35TFX#F211	Blending & Pkg Lube Oil & Grease Store Tank No 211	106.472/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
35TFX#F212	Blending & Pkg Lube Oil & Grease Store Tank No 212	106.472/09/04/2000
35TFX#F213	Blending & Pkg Lube Oil & Grease Store Tank No 213	106.472/09/04/2000
35TFX#F214	Blending & Pkg Lube Oil & Grease Store Tank No 214	106.472/09/04/2000
35TFX#F215	Blending & Pkg Lube Oil & Grease Store Tank No 215	106.472/09/04/2000
35TFX#F216	Blending & Pkg Lube Oil & Grease Store Tank No 216	106.472/09/04/2000
35TFX#F217	Blending & Pkg Lube Oil & Grease Store Tank No 217	106.472/09/04/2000
35TFX#F218	Blending & Pkg Lube Oil & Grease Store Tank No 218	106.472/09/04/2000
35TFX#F219	Blending & Pkg Lube Oil & Grease Store Tank No 219	106.472/09/04/2000
35TFX#F220	Blending & Pkg Lube Oil & Grease Store Tank No 220	106.472/09/04/2000
35TFX#F221	Blending & Pkg Lube Oil & Grease Store Tank No 221	106.472/09/04/2000
35TFX#F222	Blending & Pkg Lube Oil & Grease Store Tank No 222	106.472/09/04/2000
35TFX#F223	Blending & Pkg Lube Oil & Grease Store Tank No 223	106.472/09/04/2000
35TFX#F224	Blending & Pkg Lube Oil & Grease Store Tank No 224	106.472/09/04/2000
35TFX#F225	Blending & Pkg Lube Oil & Grease Store Tank No 225	106.472/09/04/2000
35TFX#F226	Blending & Pkg Lube Oil & Grease Store Tank No 226	106.472/09/04/2000
35TFX#F227	Blending & Pkg Lube Oil & Grease Store Tank No 227	106.472/09/04/2000
35TFX#F228	Blending & Pkg Lube Oil & Grease Store Tank No 228	106.472/09/04/2000
35TFX#F229	Blending & Pkg Lube Oil & Grease Store Tank No 229	106.472/09/04/2000
35TFX#F230	Blending & Pkg Lube Oil & Grease Store Tank No 230	106.472/09/04/2000
35TFX#F231	Blending & Pkg Lube Oil & Grease Store Tank No 231	106.472/09/04/2000
35TFX#F232	Blending & Pkg Lube Oil & Grease Store Tank No 232	106.472/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
35TFX#F233	Blending & Pkg Lube Oil & Grease Store Tank No 233	106.472/09/04/2000
35TFX#F234	Blending & Pkg Lube Oil & Grease Store Tank No 234	106.472/09/04/2000
35TFX#F235	Blending & Pkg Lube Oil & Grease Store Tank No 235	106.472/09/04/2000
35TFX#F236	Blending & Pkg Lube Oil & Grease Store Tank No 236	106.472/09/04/2000
35TFX#F237	Blending & Pkg Lube Oil & Grease Store Tank No 237	106.472/09/04/2000
35TFX#F238	Blending & Pkg Lube Oil & Grease Store Tank No 238	106.472/09/04/2000
35TFX#F239	Blending & Pkg Lube Oil & Grease Store Tank No 239	106.472/09/04/2000
35TFX#F240	Blending & Pkg Lube Oil & Grease Store Tank No 240	106.472/09/04/2000
35TFX#F241	Blending & Pkg Lube Oil & Grease Store Tank No 241	106.472/09/04/2000
35TFX#F242	Blending & Pkg Lube Oil & Grease Store Tank No 242	106.472/09/04/2000
35TFX#F243	Blending & Pkg Lube Oil & Grease Store Tank No 243	106.472/09/04/2000
35TFX#F244	Blending & Pkg Lube Oil & Grease Store Tank No 244	106.472/09/04/2000
35TFX#F245	Blending & Pkg Lube Oil & Grease Store Tank No 245	106.472/09/04/2000
35TFX#F246	Blending & Pkg Lube Oil & Grease Store Tank No 246	106.472/09/04/2000
35TFX#F247	Blending & Pkg Lube Oil & Grease Store Tank No 247	106.472/09/04/2000
35TFX#F248	Blending & Pkg Lube Oil & Grease Store Tank No 248	106.472/09/04/2000
35TFX#F249	Blending & Pkg Lube Oil & Grease Store Tank No 249	106.472/09/04/2000
35TFX#F250	Blending & Pkg Lube Oil & Grease Storage TK No 250	106.472/09/04/2000
35TFX#F251	Blending & Pkg Lube Oil & Grease Storage TK No 251	106.472/09/04/2000
35TFX#F252	Blending & Pkg Lube Oil & Grease Storage TK No 252	106.472/09/04/2000
35TFX#F253	Blending & Pkg Lube Oil & Grease Storage TK No 253	106.472/09/04/2000, 51/07/20/1992

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
35TFX#F254	Blending & Pkg Lube Oil & Grease Storage TK No 254	106.472/09/04/2000, 51/07/20/1992
35TFX#F255	Blending & Pkg Lube Oil & Grease Storage TK No 255	106.472/09/04/2000
35TFX#F256	Blending & Pkg Lube Oil & Grease Storage TK No 256	106.472/09/04/2000
35TFX#F257	Blending & Pkg Lube Oil & Grease Storage TK No 257	106.472/09/04/2000
35TFX#F258	Blending & Pkg Lube Oil & Grease Storage TK No 258	106.472/09/04/2000
35TFX#F259	Blending & Pkg Lube Oil & Grease Storage TK No 259	106.472/09/04/2000
35TFX#F260	Blending & Pkg Lube Oil & Grease Storage TK No 260	106.472/09/04/2000
35TFX#F261	Blending & Pkg Lube Oil & Grease Storage TK No 261	106.472/09/04/2000
35TFX#F262	Blending & Pkg Lube Oil & Grease Storage TK No 262	106.472/09/04/2000
35TFX#F263	Blending & Pkg Lube Oil & Grease Storage TK No 263	106.472/09/04/2000
35TFX#F264	Blending & Pkg Lube Oil & Grease Storage TK No 264	106.472/09/04/2000
35TFX#F265	Blending & Pkg Lube Oil & Grease Storage TK No 265	106.472/09/04/2000
35TFX#F266	Blending & Pkg Lube Oil & Grease Storage TK No 266	106.472/09/04/2000
35TFX#F267	Blending & Pkg Lube Oil & Grease Storage TK No 267	106.472/09/04/2000
35TFX#F268	Blending & Pkg Lube Oil & Grease Storage TK No 268	106.472/09/04/2000
35TFX#F269	Blending & Pkg Lube Oil & Grease Storage TK No 269	106.472/09/04/2000
35TFX#F270	Blending & Pkg Lube Oil & Grease Storage TK No 270	86/09/12/1989
35TFX#F271	Blending & Pkg Lube Oil & Grease Storage TK No 271	106.472/09/04/2000, 86/09/12/1989
35TFX#F272	Blending & Pkg Lube Oil & Grease Storage TK No 272	106.472/09/04/2000, 86/09/12/1989
35TFX#F273	Blending & Pkg Lube Oil & Grease Storage TK No 273	106.472/09/04/2000, 51/07/20/1992
35TFX#F274	Blending & Pkg Lube Oil & Grease Storage TK No 274	106.472/09/04/2000, 51/07/20/1992

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
35TFX#F275	Blending & Pkg Lube Oil & Grease Storage TK No 275	106.472/09/04/2000, 51/07/20/1992
35TFX#F276	Blending & Pkg Lube Oil & Grease Storage TK No 276	106.472/09/04/2000, 51/07/20/1992
35TFX#F277	Blending & Pkg Lube Oil & Grease Storage TK No 277	106.472/09/04/2000, 51/07/20/1992
35TFX#F278	Blending & Pkg Lube Oil & Grease Storage TK No 278	106.472/09/04/2000, 51/07/20/1992
35TFX#F279	Blending & Pkg Lube Oil & Grease Storage TK No 279	106.472/09/04/2000, 51/07/20/1992
35TFX#F280	Blending & Pkg Lube Oil & Grease Storage TK No 280	106.472/09/04/2000, 51/07/20/1992
35TFX#F281	Blending & Pkg Lube Oil & Grease Storage TK No 281	106.472/09/04/2000, 51/07/20/1992
35TFX#F282	Blending & Pkg Lube Oil & Grease Storage TK No 282	106.472/09/04/2000, 51/07/20/1992
35TFX#F283	Blending & Pkg Lube Oil & Grease Storage TK No 283	106.472/09/04/2000, 51/07/20/1992
35TFX#F284	Blend. and Pack. Lubricating Oil/Grease ST No. 284	106.472/09/04/2000
35TFX#F285	Blending & Pkg Lube Oil & Grease Storage TK No 285	106.472/09/04/2000, 106/09/13/1993
35TFX#F287	Blending & Pkg Lube Oil & Grease Storage TK No 287	106.472/03/14/1997
35TFX#F288	Blending & Pkg Lube Oil & Grease Storage TK No 288	106.472/03/14/1997
35TFX#F289	Blending & Pkg Lube Oil & Grease Storage TK No 289	106.472/03/14/1997
35TFX#F290	Blending & Pkg Lube Oil & Grease Storage TK No 290	106.472/03/14/1997
35TFX#F291	Blending & Pkg Lube Oil & Grease Storage TK No 291	106.472/03/14/1997
35TFX#F292	Blending & Pkg Lube Oil & Grease Storage TK No 292	106.472/03/14/1997
35TFX#F293	Blend & Pack Lubr. Oil/Grease Storage Tank No. 293	106.472/09/04/2000
35TFX#F294	Blend. and Pack. Lubricating Oil/Grease ST No. 294	106.472/09/04/2000
35TFX#F295	Blending and Packaging Storage Tank No. F-295	106.472/09/04/2000
35TFX#F297	Blend and Pack Lubr Oil and Grease Sto Tank 297	106.472/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
35TFX#F901	Blending and Packaging Storage Tank No. F-901	106.472/09/04/2000
35TFX#F902	Blending and Packaging Storage Tank No. F-902	106.472/09/04/2000
35TFX#F903	Blending and Packaging Storage Tank No. F-903	106.472/09/04/2000
35TFX#F904	Blending and Packaging Storage Tank No. F-904	106.472/09/04/2000
35TFX#F906	Blending and Packaging Storage Tank No. F-906	106.472/09/04/2000
35TFX#F907	Blending and Packaging Storage No. F-907	106.472/09/04/2000
35TFX#F908	Blending and Packaging Storage Tank No. F-908	106.472/09/04/2000
35TFX#F910	Blending and Packaging Storage Tank No. F-910	106.472/09/04/2000
35TFX#F912	Blending and Packaging Storage Tank No. F-912	106.472/09/04/2000
35TFX#F913	Blending and Packaging Storage Tank No. F-913	106.472/09/04/2000
35TFX#F916	Blending and Packaging Storage Tank No. F-916	106.472/09/04/2000
35TFX#F917	Blending and Packaging Storage Tank No. F-917	106.472/09/04/2000
35TFX#F918	Blending and Packaging Storage Tank No. F-918	106.472/09/04/2000
35TFX#F919	Blending and Packaging Storage Tank No. F-919	106.472/09/04/2000
35TFX#F920	Blending and Packaging Storage Tank No. F-920	106.472/09/04/2000
35TFX#F921	Blending and Packaging Storage Tank No. F-921	106.472/09/04/2000
35TFX#M201	Blending & Packaging Lubricating Oil & Grease Tank	106.472/09/04/2000
35TFX#M202	Blending & Packaging Lubricating Oil & Grease Tank	106.472/09/04/2000
35TFX#M203	Blending & Packaging Lubricating Oil & Grease Tank	106.472/09/04/2000
35TFX#M212	Blending & Packaging Lubricating Oil & Grease Tank	106.472/09/04/2000
35TFX#M213	Blending And Packaging Lubricating Oil And Grease	106.472/09/04/2000, 51/09/12/1989

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
35TFX#M220	Blending & Packaging Lubricating Oil & Grease Tank	51/09/12/1989
35TFX#M221	Blending & Packaging Lubricating Oil & Grease Tank	106.472/09/04/2000
35TFX#M298	Blending and Packaging Lubricating Oil/Grease Tank	106.472/09/04/2000
35TFX#M299	Blending and Packaging Lubricating Oil/Grease Tank	106.472/09/04/2000
35TFX#M300	Blending and Packaging Storage Tank No. M-300	106.472/09/04/2000
35TFX#W201	Blending & Pkg Lube Oil & Grease Tank No. 201	106.472/09/04/2000
35TFX#W202	Blending & Pkg Lube Oil & Grease Tank No. 202	106.472/09/04/2000
35TFX#W203	Blending & Pkg Lube Oil & Grease Tank No. 203	106.472/09/04/2000
35TFX#W204	Blending & Pkg Lube Oil & Grease Tank No. 204	106.472/09/04/2000
35TFX#W205	Blending & Pkg Lube Oil & Grease Tank No. 205	106.472/09/04/2000
35TFX#W206	Blending & Pkg Lube Oil & Grease Tank No. 206	61/05/08/1972
35TFX#W207	Blending & Pkg Lube Oil & Grease Tank No. 207	61/05/08/1972
35TFX#W208	Blending & Pkg Lube Oil & Grease Tank No. 208	106.472/09/04/2000
35TFX#W209	Blending & Pkg Lube Oil & Grease Tank No. 209	51/05/04/1994
35TFX#W210	Blending & Pkg Lube Oil & Grease Tank No. 210	51/05/04/1994
35VNT_001	Blending & Packaging M101 Grease Kettle East Vent	106.414/09/04/2000
35VNT_002	Blending & Packaging M102 Grease Kettle East Vent	106.414/09/04/2000
35VNT_003	Blending & Packaging M103 Grease Kettle East Vent	106.414/09/04/2000
35VNT_004	Blending & Packaging M106 Grease Kettle East Vent	106.414/09/04/2000
35VNT_005	Blending & Packaging M107 Grease Kettle East Vent	106.414/09/04/2000
35VNT_006	Blending & Packaging M108 Grease Kettle East Vent	106.414/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
35VNT_007	Blending & Pkg M105 & M104 Statco Contractor Vent	106.414/09/04/2000
35VNT_008	Blending & Packaging M218 Lube Mixer Vent	106.414/09/04/2000
35VNT_009	Blending & Packaging M219 Lube Mixer Vent	106.414/09/04/2000
35VNT_010	Blending & Packaging M211 Lube Mixer Vent	106.414/09/04/2000
35VNT_011	Blend & Pkg M205, M206, M207, M208, M209&M210 Vent	106.414/09/04/2000
35VNT_012	Blending & Pkg M204 & M211 (West) Vent	106.414/09/04/2000
35VNT_013	Blending & Pkg M222 Lube Mixer Vent	106.414/09/04/2000
35VNT_014	Blending & Pkg M214 Lube Mixer Vent	106.414/09/04/2000
35VNT_015	Blending & Pkg M215 Lube Mixer Vent	106.414/09/04/2000
35VNT_016	Blending & Pkg M216 Lube Mixer Vent	106.414/09/04/2000
35VNT_017	B. and P. Cont. Grease Unit ILGU1 Condenser Vent	106.261/09/04/2000
35VNT_018	B. and P. Cont. Grease Unit ILGU2 Condenser Vent	106.261/09/04/2000
35WWFUG001	Wastewater Fugitives	106.261/09/04/2000
AUX-TANK1	Diesel Storage Vessel	106.472/09/04/2000
AUX-TANK2	Diesel Storage Vessel	106.472/09/04/2000
GEN-ENG	325 hp Emergency Generator	106.511/09/04/2000
GEN-TANK	Diesel Storage Vessel	106.472/09/04/2000
ILGUMEOHTK	Blending & Pkg Methanol And Water Storage Tank	106.473/09/04/2000
PORTDIESL	76 hp Water Evacuation Portable Pump	106.511/09/04/2000
PUMP-ENG	87 hp Duetz Lift Station Emergency Pump	106.511/09/04/2000
PUMP-TANK	Diesel Storage Vessel	106.472/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
WTRPMPTK	Diesel Tank	106.472/09/04/2000

Appendix A

Acronym List 137

Acronym List

The following abbreviations or acronyms may be used in this permit:

ACFM	actual cubic feet per minute
AMOC	alternate means of control
ARP	Acid Rain Program
ASTM	American Society of Testing and Materials
B/PA	Beaumont/Port Arthur (nonattainment area)
CAM	Compliance Assurance Monitoring
CD	control device
CEMS	continuous emissions monitoring system
CFR	Code of Federal Regulations
COMS	continuous opacity monitoring system
CVS	closed vent system
D/FW	Dallas/Fort Worth (nonattainment area)
EP	emission point
EPA	U.S. Environmental Protection Agency
EU	emission unit
FCAA Amendments	Federal Clean Air Act Amendments
FOP	federal operating permit
gr/100 scf	grains per 100 standard cubic feet
HAP	hazardous air pollutant
H/G/B	Houston/Galveston/Brazoria (nonattainment area)
H ₂ S	hydrogen sulfide
ID No.	identification number
lb/hr	pound(s) per hour
MACT	Maximum Achievable Control Technology (40 CFR Part 63)
MMBtu/hr	Million British thermal units per hour
NA	nonattainment
N/A	not applicable
NADB	National Allowance Data Base
NESHAP	National Emission Standards for Hazardous Air Pollutants (40 CFR Part 61)
NO _x	nitrogen oxides
NSPS	New Source Performance Standard (40 CFR Part 60)
NSR	New Source Review
ORIS	Office of Regulatory Information Systems
Pb	lead
PBR	Permit By Rule
PEMS	predictive emissions monitoring system
PM	particulate matter
ppmv	parts per million by volume
PRO	process unit
PSD	prevention of significant deterioration
psia	pounds per square inch absolute
SIP	state implementation plan
SO ₂	sulfur dioxide
TCEQ	Texas Commission on Environmental Quality
TSP	total suspended particulate
TVP	true vapor pressure
U.S.C.	United States Code
VOC	volatile organic compound